

autostone

floor systems



Subaru Global Initiative Program (CORA). AutoStone Setting Materials & Grout Colors 2017 v 11

These grouts provide your Subaru (CORAs) dealership the best solution for a stain resistant grout surface. This premium grout from AutoStone provides your dealership the best solution for cleaner floors and longevity.

Showroom Tile
Series: Premier4
Color: Charcoal

Please submit to your architect for review and approval for use in your Subaru Global Initiative Program (CORAs) certified compliant facility.

Additionally, we have listed our recommended setting materials for use on your project. Your project may have different site conditions that may require different materials. Let us know what your site conditions require and we can revise and/or modify your setting material products.

Installation Method:

- Thinset mortar installation minimum. ANSI A118.4 (polymer modified).
- Grout to be a high-performance system with stain resistant properties. Installation to be 1/8" to 3/16" width.
- Grout specification minimum: ANSI A118.7.
- See AutoStone supplied setting materials for actual product codes and grout color.



24" x 24"
Natural|Matte

Product Code:
AS.P4.CH.UP.2424
Finish:
Natural | Matte

Tile Specification:

Series: Premier.4
Color: Charcoal
Finish: Natural | Matte
Size: 24" x 24" (nominal dimension)
Thickness: 8 mm
Product Code: AS.P4.CH.UP.2424

Recommended Cleaner:

Manufacturer: AutoStone Floor Systems
Product: **dealerclean**
Note: See product for dilution ratio and recommended cleaning practices.

Grout Specification:

Manufacturer: North American Adhesives
Product: AS.NA4800.EverColor.MPG
Color: AS.SmokeyCoal.536
Example below: *actual color varies, example is only representative.*



Warranty:

This setting material program is backed by a Mapei (25) year setting materials system warranty. See the North American Adhesives / Mapei warranty for details, specifics and requirements.

Adhesive Specification:

Manufacturer: North American Adhesives
Product: AS.NA3800.MagnaFlex
Color: Smokey Coal

Specification Submittal:

Please use this as your reference sheet for grout specifications and our submittal for your BMW project. If you have any questions, please contact us at:

Subaru@autostoneusa.com
800-625-5314 (toll free)

Subaru Global Initiative Program (CORAs). AutoStone Setting Materials & Grout Colors 2017 v 11

These grouts provide your Subaru (CORAs) dealership the best solution for a stain resistant grout surface. This premium grout from AutoStone provides your dealership the best solution for cleaner floors and longevity.

Please submit to your architect for review and approval for use in your Subaru Global Initiative Program (CORAs) certified compliant facility.

Additionally, we have listed our recommended setting materials for use on your project. Your project may have different site conditions that may require different materials. Let us know what your site conditions require and we can revise and/or modify your setting material products.

Installation Method:

- Thinset mortar installation minimum. ANSI A118.4 (polymer modified).
- Grout to be a high-performance system with stain resistant properties. Installation to be 1/8" to 3/16" width.
- Grout specification minimum: ANSI A118.7.
- See AutoStone supplied setting materials for actual product codes and grout color.

Tile Specification:

Series: Premier.4
Color: Charcoal
Finish: Natural | Matte
Size: 24" x 24" (nominal dimension)
Thickness: 8 mm
Product Code: AS.P4.CH.PO.2424

Grout Specification:

Manufacturer: North American Adhesives
Product: AS.NA4800.EverColor.MPG
Color: AS.SmokeyCoal.536
Example below: *actual color varies, example is only representative.*

Adhesive Specification:

Manufacturer: North American Adhesives
Product: AS.NA3800.MagnaFlex
Color: Smokey Coal

Showroom Tile
(walls)
Series: Premier4
Color: Charcoal



24" x 24"
Polished

Product Code:
AS.P4.CH.PO.2424
Finish:
Polished

Recommended Cleaner:

Manufacturer: AutoStone Floor Systems
Product: **dealerclean**
Note: See product for dilution ratio and recommended cleaning practices.

Warranty:

This setting material program is backed by a Mapei (25) year setting materials system warranty. See the North American Adhesives / Mapei warranty for details, specifics and requirements.

Specification Submittal:

Please use this as your reference sheet for grout specifications and our submittal for your BMW project. If you have any questions, please contact us at:

Subaru@autostoneusa.com
800-625-5314 (toll free)

autostone

floor systems



Subaru Global Initiative Program (CORAs). AutoStone Setting Materials & Grout Colors 2017 v 11

These grouts provide your Subaru (CORAs) dealership the best solution for a stain resistant grout surface. This premium grout from AutoStone provides your dealership the best solution for cleaner floors and longevity.

Please submit to your architect for review and approval for use in your Subaru Global Initiative Program (CORAs) certified compliant facility.

Additionally, we have listed our recommended setting materials for use on your project. Your project may have different site conditions that may require different materials. Let us know what your site conditions require and we can revise and/or modify your setting material products.

Installation Method:

- Thinset mortar installation minimum. ANSI A118.4 (polymer modified).
- Grout to be a high-performance system with stain resistant properties. Installation to be 1/8" to 3/16" width.
- Grout specification minimum: ANSI A118.7.
- See AutoStone supplied setting materials for actual product codes and grout color.

Tile Specification:

Series: **driveseries!**
Color: Smoke Grey
Finish: LINE.BR.R-12/A+B+C -or- R-Shop Textured
Size: 8" x 8" (nominal dimension)
Thickness: 9.5 mm -or- 9.8 mm
Product Code: see spec info above

Grout Specification:

Manufacturer: North American Adhesives
Product: AS.NA4800.EverColor.MPG
Color: AS.SmokeyCoal.536
Example below: *actual color varies, example is only representative.*



Adhesive Specification:

Manufacturer: North American Adhesives
Product: AS.NA3800.MagnaFlex
Color: Smokey Coal

Recommended Cleaner:

Manufacturer: AutoStone Floor Systems
Product: **dealerclean**
Note: See product for dilution ratio and recommended cleaning practices.

Warranty:

This setting material program is backed by a Mapei (25) year setting materials system warranty. See the North American Adhesives / Mapei warranty for details, specifics and requirements.

Specification Submittal:

Please use this as your reference sheet for grout specifications and our submittal for your BMW project. If you have any questions, please contact us at:

Subaru@autostoneusa.com
800-625-5314 (toll free)

FT-14
Color: Smoke Grey
driveseries!
Service Drive



8" x 8"

Surface:
**LINE.BRIGHT -
R-12/A+B+C**

autostone

floor systems



Subaru Global Initiative Program (CORAs). AutoStone Setting Materials & Grout Colors 2017 v 11

These grouts provide your Subaru (CORAs) dealership the best solution for a stain resistant grout surface. This premium grout from AutoStone provides your dealership the best solution for cleaner floors and longevity.

Please submit to your architect for review and approval for use in your Subaru Global Initiative Program (CORAs) certified compliant facility.

Additionally, we have listed our recommended setting materials for use on your project. Your project may have different site conditions that may require different materials. Let us know what your site conditions require and we can revise and/or modify your setting material products.

Installation Method:

- Thinset mortar installation minimum. ANSI A118.4 (polymer modified).
- Grout to be a high-performance system with stain resistant properties. Installation to be 1/8" to 3/16" width.
- Grout specification minimum: ANSI A118.7.
- See AutoStone supplied setting materials for actual product codes and grout color.

Tile Specification:

Series: **driveseries!**
Color: Carbon Black
Finish: LINE.BR.R-12/A+B+C -or- R-Shop Textured
Size: 8" x 8" (nominal dimension)
Thickness: 9.5 mm -or- 9.8 mm
Product Code: see spec info above.


Grout Specification:

Manufacturer: North American Adhesives
Product: AS.NA4800.EverColor.MPG
Color: AS.BlackDiamond.539
Example below: *actual color varies, example is only representative.*

Adhesive Specification:

Manufacturer: North American Adhesives
Product: AS.NA3800.MagnaFlex
Color: Black Diamond

FT-7 | FT-16
Color: Carbon Black
driveseries!
Service Drive



8" x 8"

Surface:
**LINE.BRIGHT -
R-12/A+B+C**

Recommended Cleaner:

Manufacturer: AutoStone Floor Systems
Product: **dealerclean**
Note: See product for dilution ratio and recommended cleaning practices.

Warranty:

This setting material program is backed by a Mapei (25) year setting materials system warranty. See the North American Adhesives / Mapei warranty for details, specifics and requirements.

Specification Submittal:

Please use this as your reference sheet for grout specifications and our submittal for your BMW project. If you have any questions, please contact us at:

Subaru@autostoneusa.com
800-625-5314 (toll free)