



Audi

AutoStone Advantage

2021 Edition


Audi Architectural Terminal Program
[AutoStoneUSA.com/Audi](https://www.AutoStoneUSA.com/Audi)





F-1

Series: TechnoGrafite
Color: Graphite
Finish: Natural
Size: 24" x 24" (nominal)
Thickness: 10mm
Product Code:
 AS.ASK151.2424



F-3

Series: TechnoGrey
Color: Teak
Finish: Natural
Size: 8" x 48", 12" x 48"
Thickness: 10mm
Product Code:
 AS.ASKM7WY.824

AutoStone Advantage #1

AutoStone manufactured Audi tile has exacting dimensions for a successful on-grid installation.

AutoStone Advantage #2


AutoStone tiles F-1D and F-3A are 10mm thickness, and deliver a thicker large format tile to abut together in the showroom and customer areas.



*the manufacturing tolerance is + or - .5mm

F-1 and F-3 tiles can be installed on-grid on X-Axis with a grout joint of 1/8"

F-3 tile width = 1193mm (8"x48")



F-1 and F-3 tiles can be installed on-grid on Y-Axis with a grout joint of 1/8"

F-1: 594.5mm + 4mm + F-1: 594.5mm = F-3: 1193mm
 tile width + grout width + tile width



Material Availability

STOCKED USA

Product stocked in USA warehouse.
1 week preparation + ground shipping.
If not available, lead-time is 4-6 weeks depending on your project location.

Warranty

AutoStone offers a tile materials defect warranty and Laticrete offers a 5-year setting materials system warranty. AutoStone offers an installed warranty for installed projects.

*AutoStone does not warrant the labor services of third party contractors.
See warranties for specifics.*

Build with AutoStone.

AutoStone is the best choice for your Audi Architectural Terminal project. We are approved for: showroom, service drive and shop floor materials. Select AutoStone for your Audi brand compliant dealership tile finish.. One provider for your entire facility. Go with the experts, select AutoStone. All materials are built and manufactured to build better Audi dealerships!

Installation

See AutoStone recommended 09300 specifications for thinset standards on concrete substrate and AutoStone recommended installation standards.

Recommended Grout Color & Setting Materials by Laticrete

F-1 Showroom Floor Tile



*Actual color varies, example is only representative

Grout: Laticrete Permacolor Select 45 Raven

Thinset: LHT Plus

F-3 Sales Area Floor Tile



*Actual color varies, example is only representative

Grout: Laticrete Permacolor Select 27 Hemp

Thinset: LHT Plus

