

Clinkershop Guide Book

2021 Edition

Contains tile specifications including thickness,
grout material matching, and more.



clinkershop


better workshop solutions



Cefalu-Grey

4" x 8"

8" x 8"



Elba-Black

4" x 8"

8" x 8"

Description

A permanent enhanced porcelain technology floor tile and system for use in automotive workshop and climate controlled service drive environments. For interior environments only.

Advantages

1. Surface has AutoStone SLR Textured surface, rated R-11 surface.
2. SLR is like an orange-peel surface which differentiates from traditional "sand-paper" surfaces which hold-on to dirt, oil and grease.
3. ClinkerShop provide a denser surface for a stronger floor performance.
4. This product has:

slipresistant

textured floor surfaces

Manufacturer




AutoStone Floor Systems

Uses

Evaluate for use in automotive workshop and service drive environments with high speed doors. Consult with your architect to determine dealership practices.

DCOF

R-11 & R-12 surfaces meet the .42 DCOF rating as required for AANSI A326.3 (new standard).

clinkershop advanced shop floor technology	THICKNESS		CEFALU-GREY	ELBA-BLACK
	METRIC DIMENSIONS	U.S. NOMINAL DIMENSIONS		
4" x 8"	12 mm*	1/2"		
8" x 8"	12 mm*	1/2"		

* thickness tolerance is: (+) or (-) .5mm

Clinkershop Sizes and Thicknesses in Metric & U.S. Nominal

*thickness tolerance is (+) or (-) .5mm

Cefalu-Grey

4" x 8"

-12mm (1/2")

8" x 8"

-12mm (1/2")

Elba-Black

4" x 8"

-12mm (1/2")

8" x 8"

-12mm (1/2")

With multiple floor surfaces and thicknesses AutoStone Floor Systems has the right floor solution for your unique situation.

Visit AutoStoneUSA.com today.



4" x 8"



8" x 8"



Stocked EU
Stocked EU

■ Cefalu-Grey
■ Elba-Black

Stocked USA
Stocked USA

■ Cefalu-Grey
■ Elba-Black

Material Availability

- STOCKED USA | Product stocked in USA warehouse. 1 week preparation + ground shipping.
- STOCKED EU | Standard production product. 8-10 week production + 4 week shipping.

Installation

See AutoStone recommended 09300 specifications for thinset standards on concrete substrate and AutoStone recommended installation standards.

Recommended Grout Color & Setting Materials by Laticrete

Grey-Tone Granite

Grout: Laticrete Permacolor 89 Smoke Grey

Thinset: Laticrete 253 Gold

Below: actual color varies, example is only representative



Deep-Grey Granite

Grout: Laticrete Permacolor 42 Platinum

Thinset: Laticrete 253 Gold

Below: actual color varies, example is only representative



Black Anthracite

Grout: Laticrete Permacolor 45 Raven

Thinset: Laticrete 253 Gold

Below: actual color varies, example is only representative

