


autostone

floor systems



Hyundai GDSI 2.0 Tile Guide

2024.8 Program Submittal
AutoStoneUSA.com/Hyundai



MADE IN AMERICA



LargeFormat



Why go small?
Go Large Format.
Less grout = less grime.



Bigger is Better!
New 24" x 48" CT-1 Tile!

AutoStoneUSA.com


© 2024 AutoStone Floor Systems, All Rights Reserved.



Q2KD

QUARRY TO KILN DISTRIBUTION MODEL

- 1** **LOCALLY SOURCED & LOCALLY QUARRIED**
 - ✓ Elimination of trans-ocean shipping
 - ✓ US jobs, shorter supply chain
- 2** **DOMESTICALLY PRODUCED & LOCALLY WAREHOUSED**
 - ✓ Less shipping
 - ✓ Reduced carbon footprint
- 3** **CONSOLIDATED SHIPPING DIRECT TO YOUR DEALERSHIP**
 - ✓ Eliminates distribution shipping
 - ✓ Reduces use of fossil fuel
- 4** **DOMESTICALLY PRODUCED SMARTER & EFFICIENT DISTRIBUTION**
 - ✓ Better for the environment
 - ✓ Saves you money





CT-1 Showroom

Series: American Made!

Color: American Harvest.2

Finish: Natural | Honed

Size: 12" x 24" - for customer restroom walls & floors.

Size: 24" x 48" - for showroom display.



CTB-1 Base

Series: American Made!


Color: American Harvest.2

Finish: Natural | Honed

Size: 03" x 12" (U.S. Nominal Dimensions)



MADE IN USA



CT-6 Customer Lounge Tile

Series: American Wood

Color: Walnut

Finish: Natural | Honed

Code: AS1103646.0636NH

Size: 06" x 36" (U.S. Nominal Dimensions)



CTB-2 Base


Series: American Made!

Color: American Wood

Finish: Natural | Honed

Code: AS1103646.0636NH

Size: 06" x 36" (U.S. Nominal Dimensions)





CT-7 Enhanced Porcelain

Series: [Enviroshop](#)

Color: Alloy Grey

Finish: Brightfinish

Surface: Medium Traction

Size: 12" x 12" (U.S. Nominal Dimensions)

enviroshop **brightfinish**
smarter, better, workshops ultra-cleanable technology



MADE IN USA



CT-8 Enhanced Porcelain

Series: [Enviroshop](#)


Color: Carbon Black

Finish: Brightfinish

Surface: Medium Traction

Size: 12" x 12" (U.S. Nominal Dimensions)

enviroshop **brightfinish**
smarter, better, workshops ultra-cleanable technology



MADE IN USA



CT-7 Enhanced Porcelain

Series: [DriveSeriesUSA](#)


Color: Alloy Grey

Finish: Brightfinish

Surface: High Traction

Size: 12" x 12" (U.S. Nominal Dimensions)

driveseries! **brightfinish**
advanced surface technology ultra-cleanable technology



MADE IN USA



CT-8 Enhanced Porcelain

Series: [DriveseriesUSA](#)

Color: Carbon Black

Finish: Brightfinish

Surface: High Traction

Size: 12" x 12" (U.S. Nominal Dimensions)

driveseries! **brightfinish**
advanced surface technology ultra-cleanable technology



MADE IN USA



CT-7 Alloy Grey

Series: eShop2USA
Color: Alloy Grey
Finish: SLR Shop Textured
Size: 8" x 8" (nominal dimension)



Below: actual color varies, example is only representative



Grout: Laticrete Permacolor 89 Smoke Grey
Thinset: LHT Plus



CT-8 Genesis-Carbon Black

Series: eShop2USA
Color: Genesis-Carbon Black
Finish: SLR Shop Textured
Size: 8" x 8" (nominal dimension)



Below: actual color varies, example is only representative



Grout: Laticrete Permacolor Select 45 Raven
Thinset: LHT Plus



CT-7 Alloy Grey

Series: DriveSeriesUSA
Color: Alloy Grey
Finish: SLR Shop Textured
Size: 8" x 8" (nominal dimension)



Below: actual color varies, example is only representative



Grout: Laticrete Permacolor 89 Smoke Grey
Thinset: LHT Plus



CT-8 Genesis-Carbon Black

Series: DriveSeriesUSA
Color: Genesis-Carbon Black
Finish: SLR Shop Textured
Size: 8" x 8" (nominal dimension)



Below: actual color varies, example is only representative



Grout: Laticrete Permacolor Select 45 Raven
Thinset: LHT Plus

enviroshop

smarter, better, workshops

brightfinish

ultra-cleanable
technology



Brightfinish is a permanent sealant applied during manufacturing process which seals tile surface to resist staining. Additionally, brightfinish aids cleaning practices so floors can be kept in a "like-new" condition for the life of the dealership with regularly scheduled and proper cleaning practices.

driveseries!

advanced surface technology

brightfinish

ultra-cleanable
technology



Brightfinish is a permanent sealant applied during manufacturing process which seals tile surface to resist staining. Additionally, brightfinish aids cleaning practices so floors can be kept in a "like-new" condition for the life of the dealership with regularly scheduled and proper cleaning practices.

Product Use Category 4.1.3. Interior, Wet Plus (IW+)

4.1.3 Interior, Wet Plus (IW+) Evaluate for interior use in automotive workshop and service drive environments with high speed doors and tech locker rooms. Enviroshop is medium traction surface. For interior applications, with good drainage. Floors walked on when wet if level, clean, maintained and free of standing water or other contaminants. Should be cleaned with frequent maintenance to keep clean.

DCOF Meets and exceeds .50 DCOF rating as required for ANSI A326 4.1.3 (IW+)

Product Use Category 4.1.4 Exterior Wet (EW) & 4.1.5 (O/G)

Evaluate for use in automotive workshop and service drive environments.

4.1.4 (Exterior, Wet) - level outdoor spaces walkways, sidewalks, where such floors may be walked upon when wet (excluding ice or snow) if level, clean, maintained and free of standing water or other contaminants.

4.1.5 (Oils/Greases) - level areas regularly exposed to automotive fluids, etc., so long as such floors are level, regularly cleaned, maintained and free of standing water and contaminant build-up. Consult with your architect to determine dealership practices. Review ANSI A326.3 2021 standard.

DCOF

Meets and exceeds .55 DCOF rating as required for ANSI A326.3 4.1.4. Exterior Wet and 4.1.5 Oils / Grease.

Recommendations

Surface is a non-vitreous (impervious) enhanced porcelain tile. Oil, grease and all contaminants will remain on surface until properly cleaned. Floors should be cleaned with frequent maintenance to keep clean and free of contamination and debris when dealership is operating. To best manage STF (slip, trip, and fall) risk, spills and chemicals should be spot cleaned immediately and not left on surface. Floor cleaning should include use of de-greasing chemical, floor scrubber sweeper machine with wet vacuum to suck-up dirty water and debris as part of cleaning process.

For specific use applications, please consult with your architect or builder, or contact AutoStone USA with questions.

AutoStoneUSA Support Team Members Email & Phone

Primary Email: hyundai@autostoneusa.com

Team Members For Quoting (on hyundai@autostoneusa.com) Email Account:

Sarah Brockway 214-393-4866 (direct) hyundai@autostoneusa.com

Tabitha Black 214-393-4874 (direct) hyundai@autostoneusa.com

Request For On-Line Quote

Website: www.autostoneusa.com/rfq-hyunda

Hyundai Brand Page

Website: www.autostoneusa.com/rfq-hyundai

Senior Program Contacts

Lezlie Ferrell

lezlie@autostoneusa.com

Mobile: 214-717-8936


Direct: 214-393-4861

Barry Wells


barry@autostoneusa.com

Mobile: 214-830-1206

Direct: 214-393-4862



WorkShop



Service Drive



Showroom

autostone