



Enhanced Porcelain tile for **Kia Dealerships**

Approved Kia 2.0 Tile Provider
AutoStoneUSA.com/Kia



For more information

Mesurable solutions.
Safer environments.

Tile performance built for
automotive spaces.

MADE IN USA 

Visit AutoStoneUSA.com/Kia



Showroom Floors & Walls



T-1

T-1

Size: 32" x 32"

Finish: Natural | Honed

Series: Concrete

Color: Smoke

Note: AutoStoneUSA, TCNA, NTCA, ANSI, and Kia 2.0 brand standards require tile installers open multiple boxes of tile prior to installing and "shuffle" tiles to assure a randomized tile pattern while installing.



T-2


T-2

Size: 8" x 48"

Finish: Natural

Series: Amberwood Plank

Color: Maple Harvest



LVT-1


LVT-1 - Luxury Vinyl Plank (Glue-Down)

Size: 07" x 48" x 2.5 mm thick

Finish: Textured Wood Grain

Series: LVT Woodplank

Color: Birch Maple



T-3

T-3

Size: 4" x 16"

Finish: Matte

Series: Station America - A

Color: White



T-4

T-4

Size: 4" x 16"


Finish: Matte

Series: Station America - B

Color: White

Note: This is a NEW approved Kia 2.0 T-3 & T-4 tile option by AutoStoneUSA.

This is approved for your Kia project and is to be installed in the horizontal direction as shown. This approved configuration provides a contemporary appearance consistent with current Kia 2.0 design standards



Tech Restroom Walls



T-5

T-5 TECH LOCKER WALLS

Sizes: 12" x 24"

Finish: Glossy

Surface: Medium Traction

Series: ShopWalls!

Color: Stormy Grey

Kia showroom example with
T-1 Tile 32" x 32" and T-2 Tile 8" x 48"



Showroom Floors T-1 & T-2



Use QR code to see how and why AutoStoneUSA tiles are the best solution for your Kia dealership. Enhanced porcelain technology that delivers better retailing experiences and environments.



autostone
usa

Maintain a “Like-New” Appearance for Kia Facilities with **Clean.TechUSA**


BrightFinish Ultra-Cleanable Technology
General Tile Cleaning Program

AutoStoneUSA.com/Kia

01:49

▶

🔊 ⌂ ⚙️ ↺ ⌛ ⌂ 🔍 vimeo



Restroom Walls & Floors T-1, T-3 & T-4



Service Drive & Workshop



T-6

T-6 ENHANCED PORCELAIN

Sizes: 08" x 08"
Finish: Brightfinish
Surface: Super.Grip.BrightFinish
Series: eShop8USA
Color: Alloy Grey

eShop8usa
 better technology, better results




T-6

T-6 ENHANCED PORCELAIN

Sizes: 08" x 08"
Finish: Brightfinish
Surface: Super.Grip.BrightFinish
Series: eShop8USA
Color: Smoke Grey

eShop8usa
 better technology, better results



T-7

T-7 ENHANCED PORCELAIN

Sizes: 08" x 08"
Finish: Brightfinish
Surface: Super.Grip.BrightFinish
Series: eShop8USA
Color: Genesis-Carbon Black

eShop8usa
 better technology, better results



T-6

T-6 ENHANCED PORCELAIN

Sizes: 08" x 08"
Finish: Brightfinish
Surface: Super.Grip3L.BrightFinish
Series: DriveSeries8USA
Color: Genesis-Carbon Black

DriveSeries8USA
 advanced surface technology



T-6

T-6 ENHANCED PORCELAIN

Sizes: 08" x 08"
Finish: Brightfinish
Surface: Super.Grip3L.BrightFinish
Series: DriveSeries8USA
Color: Smoke Grey

DriveSeries8USA
 advanced surface technology




T-7

T-7 ENHANCED PORCELAIN

Sizes: 08" x 08"
Finish: Brightfinish
Surface: Super.Grip3L.BrightFinish
Series: DriveSeries8USA
Color: Genesis-Carbon Black

DriveSeries8USA
 advanced surface technology



Kia service drive example
 with T-6 and T-7 Tile 8" x 8"

**autostone
usa**

Kia
 2.0 Tile Material Provider



ANSI A326.3 - is the **STF** (slip, trip, and fall) - "environment of use" standard

ANSI A326.3

Environment of Use Rating:

4.1.3 (IW+) Interior, Wet Plus
 4.1.4 (EW) Exterior, Wet
 4.1.5 (O/G) Oils/Greases
DCOF Rating: ≥ .55 DCOF Wet



T-6 and T-7 include AutoStoneUSA "Enhanced Porcelain Technology" from our **Clean.Tech** manufacturing series. This includes our **BrightFinish** which is a permanent sealant applied during kiln firing. **BrightFinish** seals the tile surface, coats the nano-granule surface texture (**Super.Grip**) and fills surface micropores. The result is cleaner service drives and workshops with regularly recommended cleaning practices.

Have questions or looking for a material quote?
 Contact **214-393-4875** or email **kia@autostoneusa.com**

Explore the tile program at
AutoStoneUSA.com/Kia

Service Drive, Workshop & Tech Restroom Floors



T-6

T-6 ENHANCED PORCELAIN

Sizes: 12" x 12"
Finish: Brightfinish
Surface: Traction.BrightFinish
Series: EnviroShop12USA
Color: Alloy Grey

EnviroShop12usa
 smarter, better workshops



ANSI A326.3 - is the **STF** (slip, trip, and fall) - "environment of use" standard

IMPORTANT TIP!

EnviroShop12USA - Is the most commonly used for Tech Restroom Floors! Affordable, cleans well, and meets STF risk for Interior, Wet Plus environments.

IMPORTANT TIP!

EnviroShop12USA - Is the most commonly used for Tech Restroom Floors! Affordable, cleans well, and meets STF risk for Interior, Wet Plus environments.

IMPORTANT TIP!

EnviroShop12USA - Is the most commonly used for Tech Restroom Floors! Affordable, cleans well, and meets STF risk for Interior, Wet Plus environments.

ANSI A326.3

Environment of Use Rating: 4.1.3 (IW+) Interior, Wet Plus

DCOF Rating: ≥ .50 DCOF Wet

brightfinish
 ultra-cleanable technology



ANSI A326.3

Environment of Use Rating: 4.1.3 (IW+) Interior, Wet Plus

DCOF Rating: ≥ .50 DCOF Wet

brightfinish
 ultra-cleanable technology



ANSI A326.3

Environment of Use Rating: 4.1.3 (IW+) Interior, Wet Plus

DCOF Rating: ≥ .50 DCOF Wet

brightfinish
 ultra-cleanable technology



ANSI A326.3

Environment of Use Rating:
 4.1.3 (IW+) Interior, Wet Plus
 4.1.4 (EW) Exterior, Wet
 4.1.5 (O/G) Oils/Greases
DCOF Rating: ≥ .55 DCOF Wet

brightfinish
 ultra-cleanable technology



ANSI A326.3

Environment of Use Rating:
 4.1.3 (IW+) Interior, Wet Plus
 4.1.4 (EW) Exterior, Wet
 4.1.5 (O/G) Oils/Greases
DCOF Rating: ≥ .55 DCOF Wet

brightfinish
 ultra-cleanable technology




T-6

T-6 ENHANCED PORCELAIN

Sizes: 12" x 12"
Finish: Brightfinish
Surface: Traction.BrightFinish
Series: EnviroShop12USA
Color: Smoke Grey

EnviroShop12usa
 smarter, better workshops



T-7

T-7 ENHANCED PORCELAIN

Sizes: 12" x 12"
Finish: Brightfinish
Surface: Traction.BrightFinish
Series: EnviroShop12USA
Color: Carbon Black

EnviroShop12usa
 smarter, better workshops




T-6

T-6 ENHANCED PORCELAIN

Sizes: 12" x 12"
Finish: Brightfinish
Surface: Traction3L.BrightFinish
Series: DriveSeries12USA
Color: Alloy Grey

DriveSeries12USA
 advanced surface technology



T-7

T-7 ENHANCED PORCELAIN

Sizes: 12" x 12"
Finish: Brightfinish
Surface: Traction3L.BrightFinish
Series: DriveSeries12USA
Color: Carbon Black

DriveSeries12USA
 advanced surface technology

Kia workshop example with
 T-6 and T-7 Tile 12" x 12"



Kia workshop example with
 T-6 and T-7 Workshop Tile 12" x 12"



T-6 and T-7 include AutoStoneUSA "Enhanced Porcelain Technology" from our **Clean.Tech** manufacturing series. This includes our **BrightFinish** which is a permanent sealant applied during kiln firing. **BrightFinish** seals the tile surface, coats the surface and fills surface micropores. The result is cleaner service drives and workshops with regularly recommended cleaning practices.

autostone
 usa

Kia
 2.0 Tile Material Provider

Have questions or looking for a material quote?
 Contact 214-393-4875 or email kia@autostoneusa.com



Explore the tile program at
[AutoStoneUSA.com/Kia](https://www.AutoStoneUSA.com/Kia)

Service Drive & Shop Floors

T-6 & T-7



Use QR code to see how and why AutoStoneUSA service drive tiles are the best solution for your Kia environment. Enhanced porcelain technology that delivers better retailing experiences and environments.



Back Office, Storage, & Parts



GREY CONCRETE

GREY CONCRETE

RA3 RA4.5

Sizes: 18" x 36"

Thickness: 3.0 mm & 4.5 mm (RA 3.0 & RA 4.5)

Finish: Diamond Plated Embossed

Series: Resilient Armour

Color: Grey Concrete

Adhesive: Must use glue to bond to substrate (not sold by AutoStoneUSA)

RESILIENT ARMOUR



**SURFACE
CAMOUFLAGE**



**SCRATCH
RESISTANT
SURFACE**



**CHEMICAL
RESISTANT
SURFACE**



**IMPACT
GUARD
SURFACE**



DEEP CONCRETE

DEEP CONCRETE

RA3 RA4.5

Sizes: 18" x 36"

Thickness: 3.0 mm & 4.5 mm (RA 3.0 & RA 4.5)

Finish: Diamond Plated Embossed

Series: Resilient Armour

Color: Deep Concrete

Adhesive: Must use glue to bond to substrate (not sold by AutoStoneUSA)

RESILIENT ARMOUR



**SURFACE
CAMOUFLAGE**



**SCRATCH
RESISTANT
SURFACE**



**CHEMICAL
RESISTANT
SURFACE**




**IMPACT
GUARD
SURFACE**

Resilient Armour 18" x 36" large format panels with rugged diamond plated surface texture helps reduce STF (slip, trip, and fall) risk and is great for the following areas:

- Parts, Storage, Janitorial, Lunch & Breakrooms, Tech Locker Room Floors & Walls
- Wainscoting for Hallways, WorkShop Areas, & All Back-Office Areas

Service & Tech Restroom Walls



WALL TILES

Sizes: 3" x 6", 6" x 6", and 12" x 24"

Finish: Glossy

Series: Premier

Color: Bright White Ice



SUBWAY TILE

Sizes: 3" x 6"

Finish: Glossy

Color: White



SERVICE & TECH RESTROOM AREA WALL TILE

Sizes: 8" x 8"

Finish: Satin

Series: ShopWall!

Color: Granita Grey



SERVICE & TECH RESTROOM AREA WALL TILE

Sizes: 8" x 8"

Finish: Satin

Series: ShopWall!

Color: Anthracite Grey



ANSI A326.3 - is the **STF** (slip, trip, and fall) - "environment of use" standard

ANSI A326.3

Environment of Use Rating:

4.1.2 (IW) Interior, Wet

DCOF Rating: ≥ .42 DCOF Wet

ANSI A326.3

Environment of Use Rating:

4.1.2 (IW) Interior, Wet

DCOF Rating: ≥ .42 DCOF Wet

Better Cleaning and Retailing for Showroom Floors & Walls

Kia **T-6 and T-7 service drive and workshop tiles** by AutoStoneUSA are manufactured from our Clean.TechUSA series and include our BrightFinish permanent sealant. BrightFinish is advanced porcelain technology designed to deliver dealers with a better visual appearance and overall better cleaning performance for the life of your facility.


This “ultra-cleanable technology” aids dealers with your cleaning practices. BrightFinish is a permanent sealant that is baked-in during the manufacturing process which seals the tile surface micropores to resist permanent staining and marking.

With proper cleaning practices, floors can be maintained in a "like-new" appearance for the life of your dealership. BrightFinish is permanent, durable, and performs better in automotive retail and service facilities than other tiles.

Clean floors impact the customer perception of both the Kia brand and perception of your dealership and the service experience. AutoStoneUSA **T-6 and T-7 service drive and workshop tiles** are designed to help you keep and maintain their original appearance with regularly scheduled cleaning practices. The “like-new” look of your dealership is an essential component in the retailing and service equation. Your dealership should be clean, well-kept and have a fresh (like-new) retail appearance.



brightfinish
ultra-cleanable technology



AutoStoneUSA’s BrightFinish Excels Over Competitor Finishes

Not all finishes are created equal for automotive environments.


AutoStoneUSA Brightfinish Permanent Sealant (Cleaner retailing and service environments)		Competitors Sandpaper textured surfaces (They track rubber transfer and hold onto dirt, grease, and oil)	
			
VS			
✓	Enhanced porcelain technology that delivers better performance and cleaner Kia retailing environments.	 PROTECTION	Sand paper texture without BrightFinish traps and holds onto rubber transfer, dirt, grease and contaminants. Does not clean. 
✓	BrightFinish is a permanent sealant applied during kiln firing. By sealing the surface micropores it retards permanent staining.	 STAIN RESISTANCE	Micropores can expand into macropores, allowing stains to penetrate and bond. 
✓	BrightFinish reflects light better and creates a brighter and more engaging environment.	 APPEARANCE	Darkens over time and looks dark, dirty, and dingy. Negatively impacts customer and brand perception. 
✓	AutoStoneUSA enhanced porcelain tiles are a permanent floor that delivers better results.	 DURABILITY	Difficult to clean and often shows tracking and tire markings. 
✓	Maintenance is simple and cost-effective. Looks cleaner, better, longer. AutoStoneUSA tiles can be maintained in a LIKE-NEW appearance for the life of your dealership.	 LONG-TERM VALUE	More costly to clean and maintain. Requires more expense, effort, and energy for a diminishing return. 

Enhanced Tiles for Foot Traffic in the **Service Drive & Workshop**

These Kia tiles are manufactured from the AutoStoneUSA Clean.TechUSA platform which includes our BrightFinish technology along with our Super.Grip texture to help reduce STF (slip, trip, and fall) risk in the service drive, workshop, and exterior exposed environments. Super.Grip is an additional component that includes nano-particles on the surface design which helps reduce slip, trip, and fall risk, and helps create safer walking surfaces in automotive environments.

eShop8usa
better technology, better results

DriveSeries8USA
advanced surface technology



DriveSeries8USA Advanced Surface Technology

3 Lines of Elevated Traction

Three lines of elevated traction on DriveSeries8USA's surface design provides better STF (slip, trip, and fall risk) management in the service drive or workshop. With the power of BrightFinish and Super.Grip, you can easily clean and keep "like-new" while knowing it adheres the ANSI A326.3's 4.1.4 Exterior Wet and 4.1.5 Oils/Greases product use categories. These two surface ratings declare DriveSeries8USA's compliance and provides dealers with greater performance use in automotive service environments.




STF (Slip, Trip, & Fall) Risk Performance & Adherence to the **US ANSI A.326.3 Standard(s)**

The **Kia T-6 and T-7 service drive and workshop tile** faces a higher risk that is exposed to the elements (weather and moisture), greases, oils, and other contaminants. These all increase your STF risk. The AutoStone Kia workshop tiles meet the higher higher risk category for both exterior use and an oil/grease exposed environments. AutoStone materials meet the ANSI A326.3 4.1.4 (EW) Exterior Wet & 4.1.5 (O/G) Oils/Grease environments of use category for surface traction.



How AutoStoneUSA Reduces STF Risk

- ✓ Meets ANSI A326.3 DCOF & STF (slip, trip, & fall) risk standards
- ✓ BrightFinish, sealed surface resists stains, fluids, and contaminants
- ✓ Better manage your STF (slip, trip, and fall) risk with AutoStoneUSA!
- ✓ BrightFinish aids dealers with Cleaning & Maintenance practices.
- ✓ The right surface for your environment of use.
- ✓ Manufacturer-declared use for the reality of automotive dealership business practices.



USA Freight Efficiency and Consolidated Freight = Greater Savings

AutoStoneUSA Kia showroom, service drive, and workshop tiles are Made in the USA. That means guaranteed on-time delivery, no tariff exposure or risk and all materials shipping on fewer trucks to reduce your freight costs further. With AutoStoneUSA, your dealership project will be supported with materials that are ready for you.

AutoStoneUSA showroom materials are Made in the USA and reflect high-quality, exceptional performance, and always available. Exceptional quality is assured with every AutoStoneUSA produced and supplied tile.

At AutoStoneUSA, our commitment to American manufacturing isn't just about national pride — it's about delivering superior quality with efficiency. By producing our tiles domestically, we eliminate the uncertainties of international supply chains, reduce carbon emissions, minimize fossil fuel usage, and ensure timely delivery to your dealership. Our "Quarry 2 Kiln" model emphasizes local sourcing and streamlined logistics, reflecting our dedication to sustainability and excellence.



Kia showroom example with
T-2 Tile 8" x 48"



Kia showroom example with
T-1 Tile 32" x 32" and T-2 Tile 8" x 48"




Kia service drive example with
T-6 Tile 8" x 8" and T-7 Tile 8" x 8"



Kia showroom example with
T-1 Tile 32" x 32" and T-2 Tile 8" x 48"




Automotive Environments That Impact STF (Slip, Trip, & Fall) Risk




Service Drive with High-Speed Roll-Up Doors

High-speed doors can control the environment throughout daily use. High-speed doors provide ownership an environment that may rate for Interior Wet, Plus (IW+), Exterior Wet (EW), or Oils/Greases (O/G).




Service Drive with Manual Roll-Up Doors

Manual roll-up doors do not control the environment throughout daily use and would default to Exterior Wet (EW), or Oils/Greases (O/G).



Automotive Workshop Vehicle Lift Areas

Automotive workshop vehicle lift areas are exposed to oils, fluids, and contaminants and would typically default to Oils/Greases (O/G).




Oil & Lube Express Facilities and Service Drive

An oil lube or service drive where either are regularly exposed to automotive fluids, and are exposed to weather conditions would be rated either Exterior Wet (EW), or Oils/Grease (O/G).



Outdoor & Exterior Environments

Outdoor and exterior environments regularly exposed to weather and moisture would default to Exterior Wet (EW).



Brightfinish Cleanability Technology

These automotive environments paired with AutoStoneUSA Brightfinish tile will resist stains, making cleaner easier thereby keeping floors brighter, longer

Meets ANSI A326.3 STF Standards

Our tiles meet the required surface texture for STF risk benefits.

CLASSIFICATION	REFERENCE CATEGORY	CRITERIA	COMMENTS	AUTOSTONEUSA
4.1.1	Interior, Dry (ID)	≥ .42 dry DCOF	Not available for automotive retail	YES
4.1.2	Interior, Wet (IW)	≥ .42 wet DCOF	Most retail showroom areas	YES
4.1.3	Interior, Wet Plus (IW+)	≥ .50 wet DCOF (Manufacturer-Declared)	Great for workshop, tech locker rooms and other interior spaces exposed to water.	YES
4.1.4	Exterior, Wet (EW)	≥ .55 wet DCOF (Manufacturer-Declared)	AutoStoneUSA Kia service drive tiles meet this environment of use!	YES
4.1.5	Oils/Greases (O/G)	≥ .55 wet DCOF (Manufacturer-Declared)	AutoStoneUSA Kia workshop ties meet this environment of use!	YES

All AutoStoneUSA workshop and service drive tiles include a Manufacturer-Declared Use classification to inform you of the appropriate environment of use.

Kia workshop examples with T-6 (left) and T-7 (right) Workshop Floor Tile 08" x 08"



Why AutoStoneUSA Is The Right Choice For the Infinity Loop - Essential Detail

Better Installation Outcomes with AutoStoneUSA Integrated Materials

The Infinity Loop is a critical design feature for Kia projects. The graphic (bottom left) shows the importance of the flush surface integration of the T-1 tile used for the vehicle display and the T-2 (woodplank) tile used for showroom areas.

Where these tiles meet (at the Infinity Loop), the installation requires a flush surface. AutoStoneUSA materials (used together) deliver better results!



T-1



T-2

Designed and Manufactured to Work Together Seamlessly

AutoStoneUSA's T-1 tile and T-2 (woodplank) tile for the showroom area are designed to help architects with their floor plan. Both tiles are the same thickness which allows for a flush install.

How AutoStoneUSA Delivers Better Automotive Retailing Environments

- AutoStoneUSA guarantees the most competitive price
- Made in the USA tile materials
- On-time delivery (no supply chain risk)
- Future tile purchases are easy to receive from our Tennessee plant
- Creative materials and others are imported - not made in USA




INFINITY LOOP DETAIL

L
A-5E

1'-1/2" = 1'-0"

AutoStoneUSA Completed Projects

Featuring the **Kia Infinity Loop**



AutoStoneUSA

Enviromental & Sustainability

Driving Sustainability Beneath Your Feet

At the intersection of design, durability, and environmental responsibility lies **our porcelain tile flooring** — a sustainable surface solution engineered to meet the premium expectations of Kia and their dealership network and supporting your global sustainability ambitions.

Circular Manufacturing Process

Our porcelain tiles are made from up to **40% pre-consumer recycled content**, including reclaimed clay, feldspar, and scrap ceramics from the manufacturing process. This reduces raw material extraction and diverts industrial waste from landfills.

Our manufacturing partners utilize **closed-loop water recycling** systems, ensuring nearly zero water waste during production — a key win for water stewardship, especially in drought-prone manufacturing regions.

Low-Carbon Footprint

Our tile manufacturing partners operate using **advanced kiln technology** to cut emissions. Through lifecycle analysis, our porcelain tiles demonstrate a **low embodied carbon**, especially when compared to synthetic or petrochemical-based flooring solutions.

For example, compared to vinyl composition (VCT), porcelain tile can offer up to a **30-40% reduction in lifecycle carbon emissions**.

Durability = Less Replacement = Less Waste

Porcelain tiles have a **lifespan of 50+ years**, requiring minimal maintenance and replacement. Its resistance to wear, chemicals, and moisture makes it ideal for high-traffic areas like showrooms, service bays, and office environments.

Fewer replacements over time means **less environmental impact from disposal and manufacturing** — a clear contributor to circular building practices.

Green Certifications

Our products are:

- GREENGUARD Gold Certified for low chemical emissions.
- Eligible for LEED and BREEAM credits.
- Manufactured in facilities that comply with ISO 14001 Environmental Management Standards

We also offer EPDs (Environmental Product Declarations) and HPDs (Health Product Declarations) to provide full transparency - a crucial value for environmentally conscious global brands like Kia.

Designing for the Future Together

Porcelain tile flooring is more than a design choice — it's a sustainable infrastructure decision. When integrated into Kia's showrooms, offices, or production facilities, it visibly and materially supports your re-imagine strategy: de-carbonizing, modernizing, and elevating every aspect of your brand. **Let's drive forward — from the ground up.**

Only AutoStoneUSA is Made in the USA to support Kia. Only Made in the USA (domestic) manufacturing can meet Kia's sustainability goals. AutoStoneUSA meets and exceeds your carbon footprint, fossil fuel usage, and sustainability goals - and more!

AOR Finish Schedule Listing for Plans Publication

Pricing Requests for Materials for your Kia 2.0 Project

Talk To Sales About Approved Kia Tile Materials

Connect with our team for lead quotes, product details, and expert recommendations.
AutoStoreUSA will help you find the right tile and keep your project moving.

Automotive Brand *		Full Name *	
Kia		Full Name	
Company Name *		Phone Number *	
Company Name	Email	000-000-0000	

What information are you seeking? Select all that apply:

- ☐ Request for Pricing
- ☐ Technical Data
- ☐ Culture of Clean Maintenance
- ☐ Warranty Information
- ☐ Other

Message *

(or) I'd like to request approved tile material information for an automotive brand. Thank you!

☐ It's not a robot



Submit

[illegible]